



Applicant Copy

PTO/SB/08b (08-03)

Approved for use through 06/30/2008. OMB 0851-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for Form PTO-1449

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 1 of 4

Complete if Known

Applicant Number	10/826,523
Filing Date	April 19, 2004
First Named Inventor	FRASER, Malcolm J.
Art Unit	1636
Examiner Name	DUNSTON, Jennifer Ann
Attorney Docket Number	UNND-0061-UT1

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		Ausubel FM, Brent R, Kingston RE, Moore DD, Seidman JG, Smith JA and Struhl K (1994) Current protocols in molecular biology, John Wiley & Sons, Inc	
gp		Becker HA, Kunze R (1997) Maize Activator transposase has a bipartite DNA binding domain that recognizes subterminal sequences and the terminal inverted repeats, Mol. Gen. Genet., 254(3): pp. 219-30	
gp		Beeman RW, Stauth DM (1997) Rapid cloning of insect transposon insertion junctions using 'universal' PCR, Insect Mol. Biol., 6(1): pp. 83-8	
gp		Berghammer AJ, Klingler M, Wimmer EA (1999) A universal marker for transgenic insects, Nature, 402: pp. 370-1	
gp		Cary LC, Goebel M, Corsaro BG, Wang HG, Rosen E, Fraser MJ Jr (1989) Transposon mutagenesis of baculoviruses: analysis of <i>Trichoplusia ni</i> transposon IFP2 insertions within the FP-locus of nuclear polyhedrosis viruses, Virology, 172: pp. 156-69	
gp		Elick TA, Bauser CA, Principe NM, Fraser MJ Jr (1996a) PCR analysis of insertion site specificity, transcription, and structural uniformity of the <i>Lepidopteran</i> transposable element IFP2 in the TN-368 cell genome, Genetica, 97(2): pp. 127-39	
gp		Elick TA, Bauser CA, Fraser MJ Jr (1996b) Excision of the piggyBac transposable element in vitro is a precise event that is enhanced by the expression of its encoded transposase, Genetica, 98(1): pp. 33-41	
gp		Elick TA, Lobo N, Fraser MJ Jr (1997) Analysis of the cis-acting DNA elements required for piggyBac transposable element excision, Mol. Gen. Genet., 255(6): pp. 605-10	
gp		Fraser MJ Jr, Smith GB and Summers MD (1983) Acquisition of host cell DNA sequences by baculoviruses: Relationship between host DNA insertions and FP mutants of <i>Autographa californica</i> and <i>Galleria mellonella</i> nuclear polyhedrosis viruses, J. Virol., 47: pp. 287-300	
gp		Fraser MJ Jr, Brusca JS, Smith GE, Summers MD (1985) Transposon-mediated mutagenesis of a baculovirus, Virology, 145(2): pp. 356-61	
gp		Fraser MJ Jr, Cary L, Boonvisutthi K, Wang HG (1995) Assay for movement of <i>Lepidopteran</i> transposon IFP2 in insect cells using a baculovirus genome as a target DNA, Virology, 214(2): pp. 397-407	
gp		Fraser MJ Jr, Ciszczon T, Elick T, Bauser C (1996) Precise excision of TTAA-specific <i>Lepidopteran</i> transposons piggyBac (IFP2) and tagalong (TFP3) from the baculovirus genome in cell lines from two species of <i>Lepidoptera</i> , Insect Mol. Biol., 5(2): pp. 141-51	
gp		Geier and Modrich (1979) Recognition Sequence of the dam Methylase of <i>Escherichia coli</i> K12 and Mode of Cleavage of Dpn I Endonuclease, The Journal of Biological Chemistry, 254(4): pp. 1408-1413.	
		Gieri A, Lutticke S, Saedler H (1988) <i>TnpA</i> product encoded by the transposable element <i>En-1</i> of <i>Zea mays</i> is a DNA binding protein, EMBO J., 7(13): pp. 4045-53	
		Goryshin IY, Kil YV, Reznikoff WS (1994) DNA length, binding, and twisting constraints on IS50 transposition, Proc. Natl. Acad. USA, 91: pp. 10834-10838	
		Grossman GL, Rafferty CS, Fraser MJ Jr, Benedict MQ (2000) The piggyBac element is capable of precise excision and transposition in cells and embryos of the mosquito, <i>Anopheles gambiae</i> , Insect Biochem. Mol. Biol., 30(10): pp. 909-14	
		Grossman GL, Rafferty CS, Clayton JR, Stevens TK, Mukabayire O, Benedict M (2001) Germline transformation of the malaria vector, <i>Anopheles gambiae</i> , with the piggyBac transposable element, Insect Mol. Biol., 10(6): pp. 597-604	
		Grossniklaus U, Pearson RK, Gehring WJ (1992) The <i>Drosophila</i> sloppy paired locus encodes two proteins involved in segmentation that show homology to mammalian transcription factors, Genes Dev., 6(6): pp. 1030-51	
		Handler AM, McCombs SD, Fraser MJ Jr, Saul SH (1998) The <i>Lepidopteran</i> transposon vector, piggyBac, mediates germ-line transformation in the Mediterranean fruit fly, Proc. Natl. Acad. Sci. USA, 95(13): pp. 7520-5	
		Handler AM, Harrell RA 2 nd (1999) Germline transformation of <i>Drosophila melanogaster</i> with the piggyBac transposon vector, Insect Mol. Biol., 8(4): pp. 449-57	
gp		Handler AM, McCombs SD (2000) The piggyBac transposon mediates germ-line transformation in the Oriental fruit fly and closely related elements exist in its genome, Insect Mol. Biol., 9(6): pp. 605-12	

Not Considered

Duplicate Citations

Duplicate Citations

Examiner's Signature	Jennifer Ann Dunston	Date Considered	7/15/2005
----------------------	----------------------	-----------------	-----------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.
1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.
This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.
If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Substitute for Form PTO-1449

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 2 of 4

Complete If Known

Applicant Number 10/826,523
Filing Date April 19, 2004
First Named Inventor FRASER, Malcolm J.
Art Unit 1636
Examiner Name DUNSTON, Jennifer Ann
Attorney Docket Number UNND-0061-UT1

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. 1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
JD		Handler AM, Harrell RA 2 nd (2001) Polyubiquitin-regulated DsRed marker for transgenic insects, Biotechniques, 31(4): pp. 824-8	
		Handler AM, Harrell RA 2 nd (2001) Transformation of the Caribbean fruit fly, <i>Anastrepha suspensa</i> , with a piggyBac vector marked with polyubiquitin-regulated GFP, Insect Biochem. Mol. Biol., 31(2): pp. 199-205	
		Handler AM (2002) Use of the piggyBac transposon for germ-line transformation of insects, Insect Biochem. Mol. Biol., 32(10): pp. 1211-20	
		Hediger M, Niessen M, Wimmer EA, Dubendorfer A, Bopp D (2001) Genetic transformation of the housefly <i>Musca domestica</i> with the <i>Lepidopteran</i> derived transposon piggyback, Insect Mol. Biol., 10(2): pp. 1-13-9	
		Heinrich JC, Li X, Henry RA, Haack N, Stringfellow L, Heath AC, Scott MJ (2002) Germ-line transformation of the Australian sheep blowfly <i>Lucilia cuprina</i> , Insect Mol. Biol., 11(1): pp. 1-10	
		Hirt B (1967) Selective extraction of polyoma DNA from infected mouse cell cultures, J. Mol. Biol., 26: pp. 367-369	
		Hom C, Wimmer EA (2000) A versatile vector set for animal transgenesis, Dev. Genes Evol., 210(12): pp. 630-7	
		Ivics Z, Hackett PB, Plasterk RH, Izsvak Z (1997) Molecular reconstruction of <i>Sleeping Beauty</i> , a <i>Tc1</i> -like transposon from fish, and its transposition in human cells, Cell, 91(4): pp. 501-10	
		Jarvis et al. (1990) Use of early baculovirus promoters for continuous expression and efficient processing of foreign gene products in stably transformed lepidopteran cells, Biotechnology (NY) 10: 950-5. (Abstract)	
		Jasinskiene N, Coates CJ, James AA (2000) Structure of <i>hermes</i> integrations in the germline of the yellow fever mosquito, <i>Aedes aegypti</i> , Insect Mol. Biol., 9(1): pp. 11-8	
		Kaufman PD, Doll RF, Rio DC (1989) <i>Drosophila</i> P element transposase recognizes internal P element DNA sequences, Cell, 59(2): pp. 359-71	
		Kokoza V, Ahmed A, Wimmer EA, Raikhel AS (2001) Efficient transformation of the yellow fever mosquito <i>Aedes aegypti</i> using the piggyBac transposable element vector pBac[3xP3-EGFP afm], Insect Biochem. Mol. Biol., 31(12): pp. 1137-43	
		Kunze R, Starlinger P (1989) The putative transposase of transposable element Ac from <i>Zea mays</i> L. interacts with subterminal sequences of Ac, EMBO J., 8(11): pp. 3177-85	
		Li X, Heinrich JC, Scott MJ (2001) piggyBac-mediated transposition in <i>Drosophila melanogaster</i> : an evaluation of the use of constitutive promoters to control transposase gene expression, Insect Mol. Biol., 10(5): pp. 447-55	
		Li X, Lobo N, Bauser CA, Fraser MJ Jr (2001b) The minimum internal and external sequence requirements for transposition of the eukaryotic transformation vector piggyBac, Mol. Genet. Gen., 266(2): pp. 190-8	
		Liu D, Mack A, Wang R, Gaili M, Beik J, Ketpura NI, Crawford NM (2000) Functional dissection of the cis-acting sequences of the Arabidopsis transposable element <i>Tag1</i> reveals dissimilar subterminal sequence and minimal spacing requirements for transposition, Genetics, 157(2): pp. 817-30	
		Lobo N, Li X, Fraser MJ Jr (1999) Transposition of the piggyBac element in embryos of <i>Drosophila melanogaster</i> , <i>Aedes aegypti</i> and <i>Trichoplusia ni</i> , Mol. Gen. Genet., 261(4-5): pp. 803-10	
		Lobo N, Li X, Hua-Van A, Fraser MJ Jr (2001) Mobility of the piggyBac transposon in embryos of the vectors of Dengue fever (<i>Aedes albopictus</i>) and <i>La Crosse</i> encephalitis (<i>Ae. triseriatus</i>), Mol. Genet. Gen., 265(1): pp. 66-71	
		Lobo NF, Hua-Van A, Li X, Nolen BM, Fraser MJ Jr (2002) Germ line transformation of the yellow fever mosquito, <i>Aedes aegypti</i> , mediated by transpositional insertion of a piggyBac vector, Insect Mol. Biol., 11(2): pp. 133-9	
		Lohe AR, Hartl DL (2001) Efficient mobilization of <i>mariner</i> in vivo requires multiple internal sequences, Genetics, 160(2): pp. 519-26	
		Lozovsky ER, Nurminsky D, Wimmer EA, Hartl DL (2002) Unexpected stability of <i>mariner</i> transgenes in <i>Drosophila</i> , Genetics, 160(2): pp. 527-35	

Examiner's Signature

Jennifer Dunst

Date

Considered

7/15/2005

*EXAMINER: Initial reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Substitute for Form PTO-1449		Complete If Known			
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)		Applicant Number	10/826,523		
		Filing Date	April 19, 2004		
		First Named Inventor	FRASER, Malcolm J.		
		Art Unit	1636		
		Examiner Name	DUNSTON, Jennifer Ann		
Sheet	3	of	4	Attorney Docket Number	UNND-0061-UT1

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
JD		MANDRIOLI, et al. "Stable transformation of a <i>Mamestra brassicae</i> (Lepidoptera) cell line with the Lepidopteran-derived transposon piggyback" Insect Biochem. Mol. Biol., Vol. 33(1), pp. 1-5, 2002.	
		MULLINS, et al. "cis-acting DNA sequence requirements for P-element transposition" Genes Dev., Vol. 3(5), pp. 729-738, 1989.	
		NOLAN, et al. "piggyback-mediated germline transformation of the malaria mosquito <i>Anopheles stephensi</i> using the red fluorescent protein dsRED as a selectable marker" J. Biol. Chem., 277(11), pp. 8759-8762, 2002.	
		OCHMAN, et al. "Genetic applications of an inverse polymerase chain reaction" Genetics, Vol. 120(3), pp. 621-623, 1988.	
		PELOQUIN, et al. "Germ-line transformation of pink bollworm (<i>Lepidoptera: gelechiidae</i>) mediated by the piggyback transposable element" Insect Mol. Biol., Vol. 9(3), pp. 323-333, 2000.	
		PERERA, et al. "Germ-line transformation of the South American malaria vector, <i>Anopheles albimanus</i> , with a piggyback/EGFP transposon vector is routine and highly efficient" Insect Mol. Biol., Vol. 11(4), pp. 291-297, 2002.	
		PFÄFFLE, et al. "Studies on rates of nucleosome formation with DNA under stress" <i>The Journal of Biological Chemistry</i> , Vol. 265(28), pp. 16821-16829, 1990.	
		RIO, et al. "Identification and purification of a <i>Drosophila</i> protein that binds to the terminal 31-base-pair inverted repeats of P transposable element" Proc. Natl. Acad. Sci. USA, Vol. 85, pp. 8929-8933, 1988.	
		RUBIN, et al. "Genetic transformation of <i>Drosophila</i> with transposable element vectors" Science, Vol. 218(4570), pp. 348-353, 1982.	
		RUBIN, et al. "Vectors for P element-mediated gene transfer in <i>Drosophila</i> " Nucleic Acids Res., Vol. 11(18), pp. 6341-6351, 1983.	
Not Considered		SAEGLER, et al. Transposable Elements. Springer-Verlag, Berlin, 1996.	
Not Considered		SAMBROOK, et al. Molecular Cloning: A Laboratory Manual. New York: Cold Spring Harbor Press, 1989.	
JD		Sarkar A, et al. "Transposition of the <i>Hermes</i> element in embryos of the vector mosquito, <i>Aedes aegypti</i> ," Insect Biochem. Mol. Biol., 27(5): pp. 359-63, 1997.	
		Sarkar A, et al. "The <i>Hermes</i> element from <i>Musca domestica</i> can transpose in four families of cyclorrhaphan flies" Genetics, 99(1): pp. 15-29, 1997.	
		Sarkar A, et al. "Molecular evolutionary analysis of the widespread piggyBac transposon family and related "domesticated" sequences", Mol. Genet. Genomics, 270(2): pp. 173-80, 2003.	
		Sekar V. "A rapid screening procedure for the identification of recombinant bacterial clones" BioTechniques, 5: pp. 11-13, 1987.	
		Sumitani, et al. "Germline transformation of the sawfly, <i>Athalia rosae</i> (Hymenoptera: Symphyta), mediated by a piggyBac-derived vector" Insect Biochem. Mol. Biol., 33(4): pp. 449-58, 2003.	
		Tamura T, et al. "Germline transformation of the silkworm <i>Bombyx mori</i> L. using a piggyBac transposon-derived vector" Nat. Biotechnol. 18(1): pp. 81-4, 2000.	
		Thibault ST, et al. "Precise excision and transposition of piggyBac in pink bollworm embryos" Insect Mol. Biol., 8(1): pp. 119-23, 1999.	
	Thomas JL, et al. "3xP3-EGFP marker facilitates screening for transgenic silkworm <i>Bombyx mori</i> L. from the embryonic stage onwards" Insect Biochem. Mol. Biol., 32(3): pp. 247-53, 2002.		
		Thummel, CS, et al. "New pCaSpeR P element vectors" Dros. Info. Service, 71: pp. 150-150, 1992.	

Examiner's Signature	Jennifer Dunston	Date Considered	7/15/2005
----------------------	------------------	-----------------	-----------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.
1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.
This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.
If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Substitute for Form PTO-1449

Complete If Known

Applicant Number	10/826,523
Filing Date	April 19, 2004
First Named Inventor	FRASER, Malcolm J.
Art Unit	1636
Examiner Name	DUNSTON, Jennifer Ann
Attorney Docket Number	UNND-0061-UT1

(Use as many sheets as necessary)

Sheet	4	of	4
-------	---	----	---

[illegible]

Examiner's Signature		Date Considered	7/15/2005
-------------------------	---	--------------------	-----------

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.